

Purchase Order Receipt Listing

Monday, May 15, 2017 1:25:36 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO36208 Receipt Dates from 5/9/2017 to 5/9/2017 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-CAM002 Acier Ouellette Inc.											
PO36208	1		M303R0.500 497 f		5/11/2017	5/9/2017	24.0000	\$1.88	0.0000	0	\$45.22
CAD	No		303 Round Bar 0.500" f		24.0000	PLOU01		\$45.22	0.0000	0	
			m137513								
	2		M303R0.750 f		5/15/2017	5/9/2017	12.0000	\$1.88	0.0000	0	\$22.61
No	No		303 Round Bar 0.750 f		12.0000	PLOU01		\$22.61	0.0000	0	
			m137513		5/11/2017	5/9/2017	24.0000	\$3.86	0.0000	0	\$92.61
					24.0000	PLOU01		\$92.61	0.0000	0	
	5		M304S20GA sf		5/11/2017	5/9/2017	64.0000	\$2.86	0.0000	0	\$183.11
No	No		304/316.040 Sheet sf		64.0000	PLOU01		\$183.11	0.0000	0	
			m137513								
	6		M6061T6B0.750X01. f		5/11/2017	5/9/2017	20.0000	\$2.53	0.0000	0	\$50.59
No	No		500 6061-T6 Bar .750 X f		20.0000	PLOU01		\$50.59	0.0000	0	
			1.50 m137513								
	7		M6061T6B1.500X02. f		5/11/2017	5/9/2017	12.0000	\$9.67	0.0000	0	\$116.09
No	No		500 6061-T6 Bar 1.50 x f		12.0000	PLOU01		\$116.09	0.0000	0	
			2.50 m137513								
	8		M6061T6R0.750 f		5/11/2017	5/9/2017	20.0000	\$1.11	0.0000	0	\$22.20
No	No		425 6061-T6 Round Bar .750" f		20.0000	PLOU01		\$22.20	0.0000	0	
			m137513								
	9		M6061T6R1.500 f		5/11/2017	5/9/2017	20.0000	\$3.83	0.0000	0	\$76.57
No	No		6061-T6 Round Bar 1.50 f		20.0000	PLOU01		\$76.57	0.0000	0	
			m137513								

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Rev Date/ Rev Emp	Rev Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-CAM002 Acier Ouellette Inc.											
PO36208	10		M6061T6S.063 sf	sf	5/11/2017	5/9/2017	160.0000	\$2.28	0.0000	0	\$365.06
CAD	No		6061-T6 .063 Sheet m137513	sf	160.0000	PLOU01		\$365.06	0.0000	0	
	11		M6061T6S.080 sf	sf	5/11/2017	5/9/2017	192.0000	\$3.77	0.0000	0	\$723.15
	No		6061-T6 .080 Sheet m137513	sf	192.0000	PLOU01		\$723.15	0.0000	0	
	13		71401-45		5/11/2017	5/9/2017	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m137513		1.0000	PLOU01		\$0.00	0.0000	0	
<div> <div>Total Received Quantity:</div> <div>Total Qty to Inspect (PO U/M):</div> <div>Total Reject Quantity:</div> <div>Total Receipt Value:</div> <div>Total Balance Due Quantity:</div> </div> <div> <div>549.0000</div> <div>0.0000</div> <div>0.0000</div> <div>\$1,697.20</div> <div>0.0000</div> </div>											



ACIER OUELLETTE INC.

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Order - Sales

Customer N°
Date
Delivery date
Your order N°
Processed by
Salesman
Carrier
Credit Terme

CLI0001056

2017/05/05

2017/05/09

36208

Josianne Bourdon

OUELLETTE VALLEYFIELD

NET 30

Billed to

DART AEROSPACE LTD
1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

DART AEROSPACE LTD
, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Page 1

Product Description	Weight	Qty	U/M	PCS NB		Internal Use Only		
				CMD	EXP	B/O	IN	I S C OUT
1 ROUND SS 1/2 303 (12R) RSS-12303-12 <i>2 X 12' R/L HEAT: 428258 pour 2 pièces</i> 5726	24.01	36.00 <i>24</i>	PL_\$CLB	3.00				
2 ROUND SS 3/4 303 (12R) RSS-34303-12 <i>2 X 12' R/L HEAT: W483</i> 5760	36.05	24.00	PL_\$CLB	2.00				
3 PLAT SS304 1/2 X 12 PLI <i>1 X 12' R/L HEAT:</i> NS000000022		1.00	UN_\$UN	1.00				
4 FLAT SS 1/2 X 2 1/2 SS304 (12R) FSS-12212-12 <i>1 X 12' R/L HEAT:</i> NS00001700		1.00	UN_\$UN	1.00				

NIR : R-109516-6

Next Page...



ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Order - Sales

Copy CO00028768

Billed to

DART AEROSPACE LTD
1270 , ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

DART AEROSPACE LTD
, Ontario,
At: CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Customer N° CLI0001056

Date 2017/05/05

Delivery date 2017/05/09

Your order N° 36208

Processed by Josianne Bourdon

Salesman

Carrier OUELLETTE VALLEYFIELD

Credit Terme NET 30

Page 2

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only		
				CMD	EXP	B/O	IN	I	S C
5 SHEET SS 20G SS304-2B (4 X 8) FESS-20G483042B 3430 2 X 4' X 8' HEAT: 222X	100.48	64.00	PI2_SCLB	2.00					
6 FLAT ALU 3/4 X 1 1/2 6061-T6 (20) FAL-34112-20 2583 1 X 20' HEAT: 64538	27.00	20.00	PI_SCLB	1.00					
7 FLAT ALU 1 1/2 X 2 1/2 6061-T6 (12) FAL-112212-12 2438 1 X 12' HEAT: 201620153	52.87	12.00	PI_SCLB	1.00					
8 ROUND ALU 3/4 6061-T6 (20) RAL-34-20 5156 1 X 20' HEAT: 66561	10.46	20.00	PI_SCLB	1.00					

NIR : R-109516-6

Next Page...



ACIER OUELLETTE INC.

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl.: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl.: 514-336-4246 Ext.: 866-456-4242

Order - Sales

Copy

CO00028768

Billed to

DART AEROSPACE LTD
1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

DART AEROSPACE LTD
, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Customer N° CL10001056

Date 2017/05/05

Delivery date 2017/05/09

Your order N° 36208

Processed by Josianne Bourdon

Salesman

Carrier OUELLETTE VALLEYFIELD

Credit Terme NET 30

Page 3

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only		
				CMD	EXP	B/O	IN	I	S C
9 ROUND ALU 1 1/2 6061-T6 (20) RAL-112-20 5118 1 X 20' HEAT: 65124	41.52	20.00	PI2_SCLB	1.00					
10 ALU SHEET .064 (14G) 6061-T6 (4 X 8) FEAL-064486061 3175 5 X 4' X 8' HEAT: 766635	144.16	160.00	PI2_SCLB	5.00					
11 ALU SHEET .081 (12G) 6061-T6 (4 X 12) FEAL-0814126061 3195 4 X 4' X 12' HEAT: 8427997	219.07	192.00	PI2_SCLB	4.00					
TRANSFERT ST-JEROME 08-05 SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE			\$	0.00 0.00					

Total Weight (LBS) : 655.62

NIR : R-109516-6

Conditions :

All sold and delivered materials remain the property of "Acier Ouellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By :

Verified By :

Delivered By :

Time

Customer's Signature

Y

M

D

Total (\$CAD)

Deposit

Balance

4 025.61

0.00

4 025.61



ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Order - Sales

Customer N° CLJ0001056

Date 2017/05/05

Delivery date 2017/05/09

Your order N° 36208

Processed by Josianne Bourdon

Salesman

Carrier OUELLETTE VALLEYFIELD

Credit Terme NET 30

Page 3

Billed to

DART AEROSPACE LTD
1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

DART AEROSPACE LTD
, Ontario,
Att : CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only		
				CMD	EXP	B/O	IN	I	S C
9 ROUND ALU 1 1/2 6061-T6 (20) RAL-112-20 5118 1 X 20' HEAT: 65124	41.52	20.00	PI2_SCLB	1.00					OUT
10 ALU SHEET .064 (14G) 6061-T6 (4 X 8) FEAL-064486061 3175 5 X 4' X 8' HEAT: 6150987001	144.16	160.00	PI2_SCLB	5.00					
11 ALU SHEET .081 (12G) 6061-T6 (4 X 12) FEAL-0814126061 3195 4 X 4' X 12' HEAT: RA27997	219.07	192.00	PI2_SCLB	4.00					
TRANSFERT ST-JEROME 08-05 SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE			\$	0.00					
				0.00					

Total Weight (LBS) : I 655.62 NIR : R-109516-6

Conditions :
All sold and delivered materials remain the property of "Acier Ouellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Total (\$CAD)
Deposit 4 025.61
Balance 0.00
4 025.61

Prepared By :	Verified By :	Delivered By :	Time	Customer's Signature	Y	M	D
---------------	---------------	----------------	------	----------------------	---	---	---



47830
 JP.

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1

Certificato n° MEST871667 / 2016 /
 Multipla collaudi

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
 8724 HOLLGATE CRESCENT
 L1T 5Z1 - MILTON, ONT L1T 5Z1 - CA

Stato di fornitura
 Lieferzustand
 Delivery state
 État de livraison

Hot rolled - Annealed Cold Drawn

Produttore
 Hersteller/Manufactureur/Produttore

STABILIMENTO DI BOLZANO

Ordine n° 604005743 Stock - Canada
 Bestell- / Auftrags- / Commande

Tipo di Elaborazione E+AOD

Qualità
 Qualität
 Quality

303HS

Marchio di Fabbrica
 Zeichen des Herstellers
 Trade mark
 Signet der Fabrik/Produktion



Conferma ordine n° E116004066
 Werkbestätigung

Punteggio del Collaudo
 Abnahmeresultat
 Inspection score
 Résultat de l'essai de réception

MR

Avviso di Spedizione D-BZ16003438
 Lieferungsanweisung

Marca
 Markenbezeichnung
 Brand/Trade name

MV188ZHS MAXIVAL

Punteggiatura 303HS
 Markenbezeichnung
 Brand/Trade name

SPECIFICHE:

Anforderungen/Requisits/Exigences

Note

Anforderungen/Requisits/Exigences

VSI 0 303 HS A,CF
 AISI 303
 AMS 5640 U S30300 A
 AMS 5640 U TYPE 1 A
 ASME SA320 2013 BAF (0)
 ASTM A314 2008 S30300
 ASTM A320 2015A BAF (1)
 ASTM A370 2014
 ASTM A562 2012 S30300 A
 MIL-S-882 BV1 303
 QQ-S-704 BZ 303 A

(RISERCHIONE PT A 2013 EDITION Chemical analysis only)

(PT Chemical analysis only)

Tabella ASTM A484-16 TABLE 7

Pos. n°	Oggetto	Dimensioni - lb	Lunghezza - lb	Colore	Pezzi	Spessore - lb	Altezza - lb
Pos. n° Item n° No de mat.	Oggetto Material description Description de l'objet	Dimensioni Dimensions Dimensions	Lunghezza Length Longueur	Colore Color Couleur	Pezzi Pieces Pièces	Spessore Thickness Épaisseur	Altezza Height Hauteur
0010	Round	0.5000	145/ 145	428258	2.180	528104840	

TEST ALLO STATO DI FORNITURA

Test on delivery condition / Prüfung auf Lieferzustand / Test à l'état de livraison / Prueba sobre el material así como entregado

TEST	Procedura / Procedure Essai de réception Log. Essai Essai Essai Essai Essai Essai Essai Essai	°F	Spessore Thickness Épaisseur	Spessore Thickness Épaisseur	Resistenza Tensile strength Résistance	Alungamento Elongation Élongation	Substrato Substrate Substrat	Resistenza Tensile strength Résistance	Durezza Hardness Dureté
			Rp 0.2%		Rm A1	E 4d	RA		140
Valori richiesti Required values Valeurs requises		min max							255
A	8.75	68 L	93		115	24	49		242

TEST ALLO STATO DI FORNITURA

Test on delivery condition / Prüfung auf Lieferzustand / Test à l'état de livraison / Prueba sobre el material así como entregado

TEST	min	max
A Grain size for ASTM E112		6

Mechanical properties according to ASTM A370.

Analisi chimica

Chemical analysis / Analyse chimique

Colore / Color Couleur	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %
428258	0.041	0.34	1.80	17.16	0.47	0.58	8.20	0.121	0.029	0.33	0.0040

Bolzano, 19/05/16

835.008

(Mod. MCE)

Il collaudatore di stabilimento / der Werkstatteinrichter / Works inspector / L'inspecteur de la

M. Rizzotto

Pagina - 1 di 2

190056



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: **EN 10204 (2004), 3.1**
Nachfolgendes Zeuignis

Certificato n. **MEST871667 / 2016 /**
Nachfolgendes

Cliente / Customer/Kunde/Klient
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura
Lieferzustand
Delivery state
Etat de livraison

Hot rolled - Annealed Cold Drawn

Produttore
Hersteller/Produktionsunternehmen
STABILIMENTO DI BOLZANO

Ordine nr. 604005743 Stock - Canada
Bestell-
Yours order
Commande

Tipo di Elaborazione E-AOD
Erweiterungsart
Making process
Méthode d'élaboration

Marchi di fabbrica
Zusatz des Herstellers
Signatures
Signes de l'usine productrice



Conferma ordine nr. EI16004066
Werkzeugbestätigung

Quantità
Menge
Quantity
Quantité

303HS

Funzione del Collaudo
Zusatz des Herstellers
Inspection
Inspection

MR

Avviso di Spedizione: D-BZ16003438
Lieferungsbefehlung

Materiale
Material
Material
Matériau

MY182ZHS MAXIVAL

Puntatura 303HS
Markierung
Marking
Marquage

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Micro and macro etch test: OK
Reduction ratio = 176,7 : 1
Annealing temperature: 1960° F for 2.5h/water.
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conformément aux exigences

Controllo anti-miscelazione: OK
Vermeidung von Legierungsmischungen
Antimixing testing performed: OK
Controllo primario: OK

Controllo wave a ultrasuoni: soddisfa le esigenze
Ultraschallprüfung und Auswertung: keine Beanstandung
Visual inspection and gauging and proven satisfactory
Vérification visuelle et dimensionnelle: satisfaisante

Made and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2008, ISO/TS 16949 : 2009, AS 9100C

The Quality Management System is Certified acc. Pressure Equipment Directive "97/23/EC" Annex 1, s. 4.3 by TÜV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
Maxival and/or Valplus grade products are manufactured with laser techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is primarily intended for, any different and/or supplementary requirements shall be specifically demanded, at least upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Bolzano, 19/05/16

CSL006

(Mod. MC22)

Il collaudo viene eseguito in base alle norme tecniche e secondo le specifiche del cliente

M. Rizzotto

Pagina - 2 di 2



740 Imperial Road North

Certificate: 107119 5

Customer: 007035 510

Your Order: 770967

NAS order: PN 0056401 02

METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
740 Imperial Road North
Guelph, ON N1K1Z3
Canada

Date: 10/23/2015 Page: 1

Steel: 303

Finish: CD

Corrosion:

PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw
ASTM A582/12 EN 10204 3.1, ASTM A484/11
AMS-5640U TYPE 1, Q35-7642 CONDITION A
SOLUTION ANNEAL TEMP 1900F MIN

REMARKS:

COMPLIES W/REQUIREMENTS OF DPM 252.235-7009 EU DIRECTIVE
2011/65/EU, ROHS, EAF+AD+CC, NO WELD REPAIR, WELDED AND NEG
IN USA, FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Product ID	Std # Diameter	Size	Weight	Length	Mark	Places	Commodity Code
------------	----------------	------	--------	--------	------	--------	----------------

BH4444 0		.7500	1.151	144.00	2	1	71469845
----------	--	-------	-------	--------	---	---	----------

CHEMICAL ANALYSIS

CM(Country of Melt)

ES(Span)

US(United States)

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# 22323

Chemical Analysis per ASTM A751/08

HEAT

W4B3

CM	C %	CO %	CR %	CU %	NI %	FE %	N %	NI %	P %
----	-----	------	------	------	------	------	-----	------	-----

US	.0473	.1185	17.2830	.3305	1.7960	.2720	.0532	0.3575	.0310
----	-------	-------	---------	-------	--------	-------	-------	--------	-------

S %	SI %
-----	------

.3495	.4945
-------	-------

MECHANICAL PROPERTIES

Product ID

1 d	HB	2YS	UTS	RA	SLIP
0.1	No.	KSI	KSI	%	% 4D

BH4444 0		R L	222.0	82.69	102.54	36.29	23.26
----------	--	-----	-------	-------	--------	-------	-------

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.

ABHIJIT BHAVE - 10/23/2015



North American Stainless Canada Inc.
740 Imperial Road North
Guelph, ON N1K1Z3
Canada

METALLURGICAL TEST REPORT

6870 Highway 42 East
Chert, KY 41045-9615
(502) 347-6000

Certificate: 245735 1

Customer: 007035 501

Date: 12/12/2016 Page: 1

Steel: 304

Finish: 2B

Your Order: 785809

NAS Order: PN 0072898 04

Corrosion: ASTM A262/15 A, 180Bend-OK

PRODUCT DESCRIPTION:

SPAINING STEEL COIL, C.R. ANNEALED & PICKLED; UNS 30400
ASTM A240/15b, A480/15, A666/15, ASME SA240/15, SA480/15, SA666/15
BULK ONLY OR FOLLOWING ASTM: A276/16, A479/16, A484/15, A312/15
CHEM ONLY OR FOLLOWING ASME: SA312/13, SA479/13
AMS 5533T MARK; MIL-B-5059D APPENDIX (X CHROM TENS)
NACE MR0175/ISO 15156-3:2009 A, MR0103/07/008766D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1, ROHS 1 & 2 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: EAF, ROD, & Cont. Casting
Product Mfg. by a Quality Mfg. Sys. in Cont. w/ISO 9001
*alloyed & Manufactured in the USA; Mat'l is DPMs Compliant

Product ID	Coil #	Std #	Thickness	Width	Weight	-----	Length	Mark	Pieces	Commodity Code
04222X A	04222X A		.0360	48.0000	15.850	COIL	14	1	74257403	

CHEMICAL ANALYSIS

CM(Country of Melt) ES(Span) US(United States) ZA(South Africa) JP(Japan)

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323
Chemical Analysis per ASTM A751/14a

UNIT	CM	C %	CR %	CU %	NI %	MO %	N %	NT %	P %	S %
222X	US	.0637	18.0080	.3655	1.7640	.2635	.0695	8.0280	.0305	.0010

BT %

.2475

MECHANICAL PROPERTIES

Product ID#	Coil #	1/4 0.1 UTS	20C 2% YS	20C ELONG	% Hard	Tail Hard	Grain NO.
04222X A	04222X A	77	103.42	56.92	47.45	89.50	89.00

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.

KRIS LARK

12/12/2016

ACIER OUELLETTE INC P.O. - AC3886

S.O. - 388868

#3450

TEST LOG 70 00 100

47574

66821 FAL 3411

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : LES ACIERS TRANSBEC (1997) LTEE.

Adresse / Address : 4054 BOUL. LE CORBUSIER # 201
LAVAL, QC
H7L5R2

commande Sapa / Sapa order # : 5110255

bon de commande / Purchase order # : OU-44748

de matrice / Die # : MS 16477

Description : 1 1/2" X 3/4" FLAT BAR

Alliage & trempage / Alloy & temper : 6061 T6 Longueur / Length : 6097 mm

Contrôle / Control # : 56857-1

Coulée / Cast # : 64538

Dureté Rockwell E /
Rockwell E hardness : 96 HRE

Min. requis /
Min. required : 88 HRE

Max. permis /
Max. permitted : 100 HRE

Composition chimique typique / Typical chemical composition :

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
6063	0,28 - 0,60	0,13 - 0,25	0,10 Max	0,10 Max	0,35 - 0,73	0,10 Max	0,05 Max	0,05 Max
6005	0,68 - 0,72	0,15 - 0,27	0,04 - 0,08	0,06 - 0,08	0,48 - 0,52	0,03 Max	0,05 Max	0,03 Max
6005A	0,65 - 0,75	0,15 - 0,27	0,15 Max	0,20 - 0,30	0,45 - 0,55	0,10 Max	0,05 Max	0,05 Max
6061	0,50 - 0,76	0,13 - 0,29	0,15 - 0,28	0,10 Max	0,80 - 1,00	0,04 - 0,14	0,08 Max	0,05 Max
6351	0,7 - 1,3	0,5 Max	0,10 Max	0,40 - 0,80	0,40 - 0,80	---	0,50 Max	0,20 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-14 excepté pour la section 8.2 (nombre de spécimen) .

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-14 except for section 8.2 (number of specimen) .

Sincèrement vôtre,
Yours truly,

date : 2015-11-19



Gilles Pelletier
Technicien de la qualité
Quality technician



Service Center Metals

5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



OUR ORDER NUMBER	ITEM
278833	1

MANIFEST NUMBER	DATE OF SHIPMENT
314705	11/22/2016
CUSTOMER PO	SALES PERSON
C73639	D. Schroeder (Canada)
CUSTOMER PART NUMBER	DESCRIPTION
V836661	SCRB 1.500X2.500

CERTIFICATION
ASTM-B221-14 No Stencil
SPECIFICATION
AMS-QQA-2008 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. This product is RoHS-2, REACH, and DFARS compliant.

Mechanical Properties

Tests	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
5	201619859	11/15/16	min 46.90	min 43.20	min 15.60
3	201620153	11/18/16	max 49.70	max 46.80	max 18.60
			50.50	50.30	15.90
			53.80		16.30

AL8103-014

Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Each	Others Total	Melt Source:
11091602	201620153	6061	0.74	0.35	0.32	0.09	0.91	0.09	0.06	0.02	97.42	0.05	0.15	United States of America
1K161101B	201620153	6061	0.76	0.38	0.34	0.10	0.88	0.10	0.03	0.03	97.38	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin J. Wiggins, Director of Quality & Technical Services

Rev 2/2016

Print Date: 11/22/2016

67313

KAL 34

46124

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : LES ACIERS TRANSSEC (1997) LTÉE.

Adresse / Address : 4054 BOUL. LE CORBUSIER, #201
LAVAL, QC
H7L5R2

commande Sapa / Sapa order # : 6050261

bon de commande / Purchase order # : OU-46056

de matrice / Die # : MS 9909

Description : 3/4" ROD

Alliage & trempage / Alloy & temper : 6061 T4 Longueur / Length : 6097 mm

Contrôle / Control # : 68684-1

Coulée / Cast # : 66561

Dureté Rockwell E / Min. requis / Max. permis /
Rockwell E hardness : 89 HRE Min. required : 88 HRE Max. permitted : 100 HRE

Composition chimique typique / Typical chemical composition :

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
6063	0.20 - 0.60	0.35 Max	0.10 Max	0.10 Max	0.45 - 0.90	0.10 Max	0.10 Max	0.10 Max
6005	0.60 - 0.90	0.35 Max	0.10 Max	0.10 Max	0.40 - 0.60	0.10 Max	0.10 Max	0.10 Max
6005A	0.66 - 0.74	0.14 - 0.28	0.08 - 0.16	0.18 - 0.26	0.46 - 0.54	0.03 Max	0.05 Max	0.05 Max
6061	0.40 - 0.80	0.70 Max	0.15 - 0.40	0.02 Max	2.80 - 3.20	0.04 - 0.35	0.25 Max	0.15 Max
6351	0.7 - 1.3	0.5 Max	0.10 Max	0.40 - 0.70	0.40 - 0.80	---	0.60 Max	0.20 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-14 excepté pour la section 8.2 (nombre de spécimen).

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-14 except for section 8.2 (number of specimen).

Sincèrement vôtre, date : 2016-07-15
Yours truly,



Gilles Pelletier
Technicien de la qualité
Quality technician

67619

RAL 112

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : LES ACIERS TRANSBEC (1997) LTEE.

Adresse / Address : 4054 BOUL. LE CORBUSIER #201
LAVAL, QC
H7L5R2

commande Sapa / Sapa order # : 6010512

bon de commande / Purchase order # : OU-45179

de matrice / Die # : MS 9917

Description : 1.5"DIA. ROD

Alliage & trempage / Alloy & temper : 6061 T6 Longueur / Length : 6097 mm

Contrôle / Control # : 60688-1

Coulée / Cast # : 65124

Dureté Rockwell E /
Rockwell E hardness : 97 HRE

Min. requis /
Min. required : 88 HRE

Max. permis /
Max. permitted : 100 HRE

Composition chimique typique / Typical chemical composition :

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
6063	0.20 - 0.60	0.35 Max	0.10 Max	0.10 Max	0.45 - 0.90	0.10 Max	0.10 Max	0.10 Max
6005	0.60 - 0.90	0.35 Max	0.10 Max	0.10 Max	0.40 - 0.60	0.10 Max	0.10 Max	0.10 Max
6005A	0.68 - 0.72	0.15 - 0.27	0.08 - 0.12	0.20 - 0.24	0.48 - 0.52	0.03 Max	0.05 Max	0.03 Max
6061	0.40 - 0.80	0.70 Max	0.15 - 0.40	0.15 Max	0.80 - 1.20	0.04 - 0.35	0.25 Max	0.15 Max
6351	0.7 - 1.3	0.5 Max	0.10 Max	0.40 - 0.80	0.40 - 0.80	---	0.20 Max	0.20 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-14 excepté pour la section 8.2 (nombre de spécimen) .

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-14 except for section 8.2 (number of specimen) .

Sincèrement vôtre,
Yours truly,

date : 2016-02-04



Gilles Pelletier
Technicien de la qualité
Quality technician

Printable Test Report

Page 1 of 1

ArconorMittal Dofasco Inc.
P.O. Box 2460
Hamilton, Ontario
L8N 3J5
Purchase Order/Den de Commande
M16272 02 JUL
Bill of Lading/Connaissance
577922

TEST REPORT
RAPPORT D'ESSAI

Attention: [NAME]
Fax: [FAX]
Date: 09/01/2015

Page: 1 of 1
Customer/Client Sales Order/Den de Commande Vendor/Vendeur
56800 25 349192002
Packing Slip/Bordereau de Charge Vehicle or Carrier/Vehicule ou Transporteur

Spec/Norm et Spec.
ASTM A653/A653M 11 CS TYPE B (11)
STD ASTM 2/3 FOR KDS GT.075(2MM) NO WELD
STANDARD UNKNOSED SURFACE
STANDARD FLATNESS ASTM FULL TOLERANCE
MATERIAL CERTIFICATION REQUIRED
COEF Q10976 14

Material Description/Description du Matériau
DOWASCO GALVANNEAL STEEL SHEET
COMPFACIAL STEEL
COILS 2775 (A25)
GALVANNEAL-EPF
0760 MM .0140 X 48 K COIL
Weight 30980 LBS
Test Method
ASTM E1019, G41b

HEAT Chemical testing performed by an ISO/IEC 17025 certified laboratory
COILS C Mn P S Si Cu Ni Cr Sn Mo Aln Ait Pb V Ti Ca N B O
166415 .06 .17 .001 .016 .007 .14 .06 .07 .008 .009 .029 .729 .261 .001 .004 .0071 .0057 .0400

SERIAL NUMBER LIFT #
NOMBRE DE SERIE MANULAU
M82750/06 6193791

F287050

We Certify That The Material Described Herein Conforms To The Specification Shown In This Document
ArconorMittal Dofasco Inc. as per Lesley Taggart CMTL Supervisor
The Results Relate Only To The Items Tested
This Report Shall Not Be Reproduced Except In Full Without The Expressed Written Approval of The CMTL Supervisor.
This Contract Is Subject To The Terms And Conditions Of Sale shown On The Order Acknowledgment.
Ce Contrat est Sujet aux Termes et Conditions de Vente Indiqués Sur L'Accuse de Reception de Commande

LES ACIERS QUELLETTE INC.
 REGULE ALUMINIUM 6061-T5
 .0810 Nom X 48.0000" X 144.0000"
 PART NO.

PO/Ref: OL-77984
 Nous certifions que le document reproduit ici est
 une copie conforme du rapport fourni par le
 fournisseur du matériel ou les données résultant

Certificate of Mill Test Results
 BL VM-48258-001
 49ul16
 Pg 1/1

Henan Xindatong Aluminum Industry Co., Ltd. MILL TEST CERTIFICATE


Name	Lot No.	Size of Goods (mm)	Alloy/ Temper	Chemical Composition (%)											Mechanical Properties		Standard	
				Si	P	Cu	Mn	Mg	Zn	Ti	Cr	Others		Al	Tensile Strength (MPa)	Elongation (%)		
												Fe	Total					
6061 T6 ALUMINUM SHEET ASTM B209-1995 6061T6 AL2011	RA27957	0.08"x48"x144"	6061 T6	0.296	0.005	0.267	0.089	0.992	/	0.0083	0.107	0.03	0.13	Remain	295	11.3	GB/T3880-2012	
			Z-1601ND046	0.094	0.572	0.09	1.027	0.004	0.0046	0.031	0.0017	0.03	0.15	Remain	167	18	GB/T3880-2012	
			0.032"x48"x120"															
			0.040"x48"x80"															
3003 H14 ALUMINUM SHEET ASTM B309	Z-1601ND045	0.040"x48"x120"	3003 H14	0.086	0.576	0.088	1.372	0.007	0.0012	0.022	0.009	0.03	0.15	Remain	164	23	GB/T3880-2012	
			0.040"x48"x120"															
			0.125"x48"x96"															
			0.125"x48"x120"															
3003 H14 ALUMINUM SHEET ASTM B309	Z-1601ND044	0.125"x48"x120"	3003 H14	0.09	0.517	0.081	1.307	0.0036	0.0033	0.017	0.0013	0.03	0.15	Remain	192	25	GB/T3880-2012	

L/C REF: 10LC19487
 Description of Goods and/or Services:
 COVERING 100 PERCENT OF INVOICE VALUE OF GOODS AND/OR SERVICES DESCRIBED AS:
 + 554 METRIC TONS 6061 T6 ALUMINUM SHEET
 + 1537 METRIC TONS 3003 H14 ALUMINUM SHEET
 CIF TORONTO PORT

Inspector: Shao Jiguo

Date: Jan. 26, 2016

Henan Xindatong Aluminum Industry Co., Ltd.



PA611621

MILL TEST/QUALITY CONTROL CERTIFICATE

ALNAN ALUMINIUM INC.

3

No.55 TingHong Road Nanning, Guangxi, 530031, China

DATE: February 20, 2015

CUSTOMER	ADDRESS	PRODUCT TYPE
EMPIRE RESOURCES, INC.	2115 LINWOOD AVENUE 2ND FLOOR, FORT LEE, NJ 07024, USA	PRIME ALUMINIUM COIL

UNIQUE Lot Number	HEAT Number	Dimension (mm)	Dimension (inch)	Act Thick (mm)	Act Thick (inch)	Weight MT	Alloy	Temper	Al	Cu	Mg	Si	Fe	Mn	Zn	Ti	Cr	Elong (%)	UTS ksi	Yield ksi
Standard	Standard	0.940-1.626	0.037-0.064				6061	T6	remainder	0.15-0.40	0.2-1.2	0.10-0.3	0.7max	0.15max	0.25max	0.15max	0.04-0.35	10min	42.0min	35.0min
Standard	Standard	1.651-3.251	0.065-0.128				6061	T6	remainder	0.15-0.40	0.2-1.2	0.10-0.3	0.7max	0.15max	0.25max	0.15max	0.04-0.35	10min	42.0min	35.0min
Standard	Standard	3.277-6.325	0.129-0.249				6061	T6	remainder	0.15-0.40	0.2-1.2	0.10-0.3	0.7max	0.15max	0.25max	0.15max	0.04-0.35	10min	42.0min	35.0min
201602200119	0150967001	1.609*1719.2	0.063*48	1.535	0.060	4.193	6061	T6	remainder	0.25	0.35	0.40	0.25	0.11	0.37	0.02	0.24	14.0	47.7	41.5
The following blank																				

ORIGIN OF GOODS AS ALNAN ALUMINIUM INC.


ACTUAL MILL CHEMICAL AND MECHANICAL PROPERTY TEST REPORTS IN IMPERIAL NOMENCLATURE REQUIRED PER SKID

MATERIAL CONFORMS FOR ALLOY 6061, T6, AS PER ASTM B209-10, AMS QQA 250/11, AMS 4027 AND ALUMINUM ASSOCIATION STANDARDS 2005 IN ALL ASPECTS.

COUNTRY OF MELT AND MANUFACTURE: CHINA

Issued by **QA73**

Reviewed by **QA77**



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303R0500
 DATE: MAY 16 2017

PO BATCH NO: P036208/M137513

MATERIAL CERT REQ'D: YES
 QUANTITY RECEIVED: 24'
 QUANTITY INSPECTED: 24'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .500
 THICKNESS RECEIVED: .497
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR Check Y/N	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	
CORROSION	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	ASTM A532
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	HT # 428258
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR B
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB

SIGNED OFF BY: _____

DATE: MAY 16 2017

DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M303 Ro. 750
DATE: MAY 16 2017

PO BATCH NO PO 36208/M137513

MATERIAL CERT REC'D. yes
QUANTITY RECEIVED 12'
QUANTITY INSPECTED 12'
QUANTITY REJECTED 0

THICKNESS ORDERED .750
THICKNESS RECEIVED .750
SHEET SIZE ORDERED N/A
SHEET SIZE RECEIVED N/A

DESCRIPTION	NCR Check Y/N	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	ASTM A 582
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HT # W4B3
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: OB

SIGNED OFF BY: _____

DATE: MAY 16 2017

DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304520GA
 DATE: MAY 15 2017

PO BATCH NO: PO36208/4137513

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 6459F+
 QUANTITY INSPECTED: 6459F+
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .040
 THICKNESS RECEIVED: .038
 SHEET SIZE ORDERED: 4x8
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	ASTM A240
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	H+H 222X
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>MAY 15 2017</u> <u>EB</u>	SIGNED OFF BY: _____
DATE: _____	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MC6176B0.750X1.500
 DATE: MAY 16 2017

PO BATCH NO.: P036208/M137513

MATERIAL CERT REC'D. YES
 QUANTITY RECEIVED: 201
 QUANTITY INSPECTED: 201
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .750
 THICKNESS RECEIVED: .750
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR Check Y/N	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	
CORROSION	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	ASTM B221
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	HT # 64538
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB
 DATE: MAY 16 2017

SIGNED OFF BY: _____
 DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M661TGB1.500X2.500
 DATE MAY 16 2017

PO BATCH NO PO36208/M137513

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 12
 QUANTITY INSPECTED: 12
 QUANTITY REJECTED: 0

THICKNESS ORDERED 1.500
 THICKNESS RECEIVED 1.500
 SHEET SIZE ORDERED N/A
 SHEET SIZE RECEIVED N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	ASTM B221
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	HT # 201620153
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR C
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB

SIGNED OFF BY: _____

DATE: MAY 16 2017

DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6R0.750
 DATE: MAY 16 2017

PO / BATCH NO: 1036208/M137513

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 20'
 QUANTITY INSPECTED: 20'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .750
 THICKNESS RECEIVED: .750
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	ASTM B221
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	HT # 66561
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION **ENGINEERING SIGNOFF (if required)**

INSPECTED BY: CB

SIGNED OFF BY: _____

DATE: MAY 16 2017

DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6R1.500
 DATE: MAY 16 2017

PO BATCH NO: P036208/M137513

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 20
 QUANTITY INSPECTED: 20
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.500
 THICKNESS RECEIVED: 1.500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/>	
CORRECT THICKNESS	Y <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/>	ASTM B221
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/>	HT # 65724
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: CS
 DATE: MAY 16 2017

SIGNED OFF BY: _____
 DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6S.080
DATE: MAY 15 2017

PO BATCH NO: P036208/MB7513

MATERIAL CERT REC'D: YES
QUANTITY RECEIVED: 192596
QUANTITY INSPECTED: 192596
QUANTITY REJECTED: 0

THICKNESS ORDERED: .080
THICKNESS RECEIVED: .079
SHEET SIZE ORDERED: 4x12
SHEET SIZE RECEIVED: 4x12

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	Y <input checked="" type="radio"/> N	
CORRECT THICKNESS	Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	Y <input checked="" type="radio"/> N	AMS QQ-A-250
CORRECT REF # TO LINK CERT	Y <input checked="" type="radio"/> N	H+H RA57997
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>CB</u>	SIGNED OFF BY: _____		
DATE: <u>MAY 15 2017</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6S-063
 DATE: MAY 16 2017

PO BATCH NO: 036208/M137513

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 160 SFT
 QUANTITY INSPECTED: 160 SFT
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .063
 THICKNESS RECEIVED: .063
 SHEET SIZE ORDERED: 4x8
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR Check Y/N	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	451m B209
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	4x #
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR E
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB
 DATE: MAY 16 2017

SIGNED OFF BY: _____
 DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36208**

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 1 of 6

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

MAY 05 2017

Contact Name

Vendor Phone

800 667 4248

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M303R0.500 ✓	303 Round Bar 0.500" ✓	5/10/2017 Yes 5/10/2017		36.00 ✓ f	\$2.57	\$92.67
MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582							
NOTE: AISI 304/316 NOT ACCEPTABLE							
Line Total:							\$92.67
2	M303R0.750 ✓	303 Round Bar 0.750 ✓	5/10/2017 Yes 5/10/2017		24.00 ✓ f	\$5.27	\$126.51
MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582							
NOTE: AISI 304/316 NOT ACCEPTABLE							
Line Total:							\$126.51

PO Instructions: quotation: SOU0031157,SOU0031393

Note:

5/5/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36208

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 2 of 6

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

800 667 4248

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA – (Free Carrier)

3	M304B0.500X012.000	304 BAR .500 X 12.00	5/10/2017	12.00	\$68.67	\$824.00
			Yes	f		
			5/10/2017			

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$824.00

4	M304B0.500X2.500	304 BAR .500 x 2.50	5/10/2017	12.00	\$34.66	\$415.95
			Yes	f		
			5/10/2017			

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$415.95

PO Instructions: quotation: SOU0031157,SOU0031393

Note:

5/5/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36208**

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 3 of 6

Order From :
ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

VC-CAM002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 800 667 4248

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

5	M304S20GA	304/316 .040 Sheet	5/10/2017	64.00	\$3.91	\$250.15
			Yes	sf		
			5/10/2017			

PURCHASE MATERIAL: AISI 304/316 SS SHEET
ANNEALED
SPECIFICATION: MIL-S-5059
OR AMS 5513 (304)
OR AMS 5524 (316)
ORASTMA240
OR ASME SA240

6	M6061T6B0.750X01.500	6061-T6 Bar .750 X 1.50	5/10/2017	20.00	\$3.46	\$69.11
			Yes	f		
			5/10/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$250.15

Line Total: \$69.11

PO Instructions: quotation: SOU0031157,SOU0031393

Note:

5/5/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36208**

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 4 of 6

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

Contact Name

Vendor Phone 800 667 4248

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

7	M6061T6B1.500X02.500	6061-T6 Bar 1.50 x 2.50	5/10/2017	12.00	\$13.22	\$158.59
			Yes	f		
			5/10/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$158.59

8	M6061T6R0.750	6061-T6 Round Bar .750"	5/10/2017	20.00	\$1.52	\$30.33
			Yes	f		
			5/10/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$30.33

9	M6061T6R1.500	6061-T6 Round Bar 1.50	5/10/2017	20.00	\$5.23	\$104.61
			Yes	f		
			5/10/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

PO Instructions: quotation: SOU0031157,SOU0031393

Note:

5/5/2017

2017-5-15



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36208

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 5 of 6

Order From :
ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

VC-CAM002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 800 667 4248

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

10	M6061T6S.063 ✓	6061-T6 .063 Sheet ✓	5/10/2017 Yes 5/10/2017	160.00 sf ✓	5x	Line Total:	\$104.61
----	-------------------	----------------------	-------------------------------	----------------	----	-------------	----------

MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER
QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
OR ASTM B209

11	M6061T6S.080 ✓	6061-T6 .080 Sheet ✓	5/10/2017 Yes 5/10/2017	192.00 sf ✓	4x.	Line Total:	\$498.72
----	----------------	----------------------	-------------------------------	----------------	-----	-------------	----------

MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER
QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
OR ASTM B209

12	71550-15	ALUM PLATE 1/2" 6061-T651	5/10/2017 Yes 5/10/2017	2.00 Each		Line Total:	\$987.91
----	----------	---------------------------	-------------------------------	--------------	--	-------------	----------

NEW JIGS FOR LARGE FAB
1 X 28" WIDE X 100" LONG X 1/2" THICK
1 X 26" WIDE X 100" LONG X 1/2" THICK

PO Instructions: quotation: SOU0031157,SOU0031393

Note:

5/5/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36208**

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 6 of 6

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

ACIER OUELLETTE INC.
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

800 667 4248

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Deliver To: DAVID.D

13 71401-45

PROCUREMENT
QUALITY CLAUSES

5/10/2017

1.00

\$0.00

\$0.00

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

No

5/10/2017

Line Total:

\$1,475.32

Line Total:

\$0.00

PO Total:

\$5,033.87

PO Instructions: quotation: SOU0031157,SOU0031393

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 5/5/2017